


TEST REPORT

Technical Report: (9320)232-0770

Page 1 of 5 August 25, 2020



Bureau Veritas Consumer Products Services (Guangzhou) Co., Ltd

(Guangzhou, Co., Etc.) No. 183, Shinan Road, Meilin Plaza, Dongchong, Nansha, Guangzhou, Guangdong Province, China 511453 Tel: (86) 20 2290 2088 Fax: (86) 20 3490 9303 Email: BVCPS_pyinfo@cn.bureauveritas.com Website: cps.bureauveritas.com This report is governed by, and incorporates by reference, CPS Conditions of Service as posted at the date of issuance of this report at http://www.bureauveritas.com/home/about-us/our-business/cps/about-us/terms-conditions/and is intended for your exclusive use. Any copying or replication of this report to or for any other person or entity, or use of our name or trademark, is permitted only with our prior written permission. This report sets forth our findings solely with respect to the test samples identified herein. The results set forth in this report are not indicative representative of the quality or characteristics of the lot from which a test sample was taken or any similar or identical product unless specifically and expressly noted. Our report includes all of the tests requested by you and the results thereof based upon the information that you provided to us. Measurement uncertainty all provided, however, that such notice shall be in writing and shall specifically address the issue you wish to raise such issue within the prescribed time shall constitute you unqualified acceptance of the completeness of this report, the tests conducted and the correctness of the report contents.



TEST REPORT

TO: MOSAROMA INT'L CO LTD 7/F., BLISSFUL BUILDING

243-247 DES VOEUX ROAD CENTRAL

HONG KONG ISLAND,

HONG KONG

LAB NO.: (9320)232-0770

FORM NO.:

DATE IN: Aug 19, 2020 **DATE OUT:** Aug 25, 2020

NO. OF WORKING DAYS: 5

PAGE 2 OF 5

A	T	T	١	١	:	L	Ε	O

OVERALL RATING	
PASS FAIL DATA	X

Vendor:	/	Agent:	/
Fabric Supplier/Mill:	/	Factory/Manufacturer:	/
P.O. No.:	/	Style No.:	13745762
Sample Description:	100% SOLUTION- DYED BLEND SPUN (AXVISION)	Style Description:	/
Color:	ORANGE	Country of Origin:	/
Claimed Fabric Weight:	/	Claimed Fabric Count:	/
Yarn Size:	/	Submitted Size:	/
Size Range:	/	FPU No.:	/
GPU No.:	1	End Use:	OUTDOOR CUSHION/ PILLOW/
			UPHOLSTERY
SKU:	/	Age Group:	/

Product Category	FABRIC
Test Requested	SEE TEST PROPERTY
Previous Report No.	

Submitted Fiber	100% SOLUTION- DYED BLEND SPUN
Content	
Actual Fiber Content	1
Suggested Fiber	/
Content	
Submitted Care	/
Instruction(s)	
Client Expected Care	/
Instruction	
Suggested Care	/
Instruction(s)	

TEST PROPERTY	PASS	FAIL	DATA	COMMENTS
WATER REPELLENCY: SPRAY TEST			Χ	
FORMALDEHYDE RELEASE FROM FABRIC	Х			
AZO COLOURANTS (24 AMINES) CONTENT IN TEXTILES: EN ISO 14362-1: 2017			Х	

TECHNICAL QUESTIONS

(86)20-22902088 bvcps_pyinfo@cn.bureauveritas.com

GENERAL INFORMATION

(86)20-22902088 bvcps_pyinfo@cn.bureauveritas.com

SIGNATURES

Bureau Veritas Consumer Products Services (Guangzhou) Co., Ltd

Apollo Luo Senior Manager

TEST PROPERTY

REQUIREMENTS

WATER REPELLENCY: SPRAY TEST (AATCC 22-17)

AS RECEIVED (RATING) 75 /

SPRAY RATING:
100 - NO STICKING OR WETTING OF UPPER SURFACE
90 - SLIGHT RANDOM STICKING OR WETTING OF UPPER SURFACE
80 - WETTING OF UPPER SURFACE AT SPRAY POINTS
70 - PARTIAL WETTING OF WHOLE OF UPPER SURFACE
50 - COMPLETE WETTING OF WHOLE UPPER AND LOWER SURFACE
0 - COMPLETE WETTING OF WHOLE UPPER AND LOWER SURFACE

FORMALDEHYDE RELEASE FROM FABRIC (AATCC 112)

PPM A: ORANGE FABRIC: <16 MAX. 75.0 PPM

AZO COLOURANTS (24 AMINES) CONTENT IN TEXTILES: EN ISO 14362-1: 2017 (EN ISO 14362-1: 2017)

A: ORANGE FABRIC 4-AMINODIPHENYL (92-67-1) <5.0 (mq/kq) BENZIDINE (92-87-5) (mg/kg)<5.0 4-CHLORO-O-TOLUIDINE (95-69-2) <5.0 (mg/kg) 2-NAPHTHYLAMINE (91-59-8) <5.0 (mg/kg) O-AMINOAZOTOLUENE (97-56-3) <5.0 (mg/kg) 2-AMINO-4-NITROTOLUENE (99-55- <5.0 8) (mg/kg) P-CHLOROANILINE (106-47-8) <5.0 (mg/kg) 2, 4-DIAMINOANISOLE (615-05-4) <5.0 (mg/kg) 4, 4'-DIAMINODIPHENYLMETHANE < 5.0 (101-77-9) (mg/kg)3, 3'-DICHLOROBENZIDINE (91-94- <5.0 1) (mg/kg)O-ANISIDINE (90-04-0) (mg/kg) <5.0 P-AMINOAZOBENZENE (60-09-03) <5.0 (mg/kg) 3, 3'-DIMETHOXYBENZIDINE (119- <5.0 90-4) (mg/kg) 3, 3'-DIMETHYLBENZIDINE (119-93-7) (mg/kg) 3, 3'-DIMETHYL-4, 4'-DIAMINODIPHENYLMETHANE (838-88-

C/N GSM/YXL

TEST RESULTS

TEST PROPERTY		REQUIREMENTS
0) (mg/kg)		
P-CRESIDINE $(120-71-8)$ (mg/kg)	<5.0	
4, 4'-METHYLENE-BIS-(2	<5.0	
CHLORANILINE) (101-14-4)		
(mg/kg)		
4, 4'-OXYDIANILINE (101-80-4)	<5.0	
(mg/kg)		
4, 4'-THIODIANILINE (139-65-1)	<5.0	
(mg/kg)		
O-TOLUIDINE $(95-53-4)$ (mg/kg)	<5.0	
2, 4-TOLUYLENEDIAMINE (95-80-7)	<5.0	
(mg/kg)		
2, 4, 5-TRIMETHYLANILINE (137-	<5.0	
17-7) (mg/kg)		
2, 4-XYLIDINE (95-68-1) (mg/kg)		
2, 6-XYLIDINE (87-62-7) (mg/kg)	<5.0	