


TEST REPORT

Technical Report: (9325)217-1466

Page 1 of 4 August 13, 2025





TEST REPORT

TO: MOSAROMA INT'L CO LTD 7/F., BLISSFUL BUILDING

243-247 DES VOEUX ROAD CENTRAL

HONG KONG ISLAND,

HONG KONG

LAB NO.: (9325)217-1466

FORM NO.:

DATE IN: Aug 05, 2025 **DATE OUT:** Aug 13, 2025

NO. OF WORKING DAYS:

PAGE 2 OF 4

Α	T	11	V	:	L	Ε	O

OVERALL RATING	
PASS FAIL DATA	x

Vendor:	1	Agent:	1
Fabric Supplier/Mill:	1	Factory/Manufacturer:	1
P.O. No.:	1	Style No.:	15243106
Sample Description:	100% SOLUTION-DYED BLEND SPUN GRS (AXVISION)	Style Description:	1
Color:	WHITE	Country of Origin:	1
Claimed Fabric Weight:	1	Claimed Fabric Count:	1
Yarn Size:	1	Submitted Size:	/
Size Range:	/	FPU No.:	/
GPU No.:	1	End Use:	OUTDOOR CUSHION/PILLOW/UP HOLSTERY
SKU:	1	Age Group:	1

Product Category	FABRIC
Test Requested	SEE TEST PROPERTY
Previous Report No.	

Submitted Fiber	100% SOLUTION-DYED BLEND SPUN GRS
Content	
Actual Fiber Content	
Suggested Fiber	1
Content	
Submitted Care	1
Instruction(s)	
Client Expected Care	
Instruction	
Suggested Care	1
Instruction(s)	



TEST PROPERTY	PASS	FAIL	DATA	COMMENTS
SOIL RELEASE: OILY STAIN RELEASE METHOD	Х			

TECHNICAL QUESTIONS (86)20-22902088

bvcps_pyinfo@cn.bureauveritas.com

SIGNATURES Bureau Veritas Consumer Products Services

GENERAL INFORMATION

(86)20-22902088 bvcps_pyinfo@cn.bureauveritas.com

Quan Peng Operation Manager





TEST RESULTS

TEST PROPERTY REQUIREMENTS

SOIL RELEASE: OILY STAIN RELEASE METHOD (AATCC 130-18t)

ORIGINAL 4.0 MIN. GRADE 3.5

END OF REPORT